



B O Y D

CONTRACT



TABLE OF CONTENTS

BATHROOMS

COORIDORS

WORKSPACES

HOSPITALITY

EXTERIOR

RESTAURANTS

SPAS

UNIVERSITIES

BATHROOMS



10420 Venice Ceiling (36")			
Height	Diameter	Shade Height	Net Wt.
13½"	36"	9"	12 lbs
343 mm	914 mm	229 mm	5.4 kg

10419 Venice Ceiling (30")			
Height	Diameter	Shade Height	Net Wt.
13½"	30"	8"	11 lbs
343 mm	762 mm	203 mm	5 kg

Canopy: 5½" dia x 3" H; 140 x 76 mm			
UL listed (or equivalent) for damp locations			
Shade: biscotti silk			
Top diffuser: white perforated metal			
Finial: solid, machined brass finished to match the stem (standard), or Rock Crystal (upcharge)			

[LEARN MORE](#)



10382 Bento Sconce


Height	Width	Projection	Net Wt.
8½"	6"	4"	3 lbs
216 mm	152 mm	102 mm	1.4 kg

Front/Side/Bottom Diffuser: natural white alabaster. There will be some variation in color and veining of natural white alabaster diffuser.


[LEARN MORE](#)



COORIDORS



Charcoal Shagreen



Chocolate Shagreen



Peony Shagreen




Sage Green Shagreen




Sand Shagreen




Grey Cerused Oak



Natural Maple



Natural Walnut



TOTEM PENDANT

A single stem with 3, 5 or 7 cast forms in trapezoid, oval or a mix of both

10688 Totem 3 Pendant
10689 Totem 5 Pendant
10690 Totem 7 Pendant

DIMENSIONS

- Width: 12"
- Height:
 - Totem 3: 39"
 - Totem 5: 55"
 - Totem 7: 71"
- Canopy: 8¹/₂" d x 2" w

LAMPING OPTIONS FOR ALL

- LED
- 3000°k / 90+ cri
- Universal 120v-277v
- Dimmable using a 0-10v low-voltage dimming controls and wiring.

STANDARD FINISHES

- Fixture: Cloud or Coal
- Inside Cast Forms: Cloud (available when Fixture is finished in Cloud)

OPTIONAL FINISHES

- Inside Cast Form: 12k White Gold Leaf or 22k Yellow Gold Leaf

[LEARN MORE](#)

47000 Linea Sconce			
Height	Width	Projection	Net Wt.
16"	4 ³ / ₈ "	3 ³ / ₄ "	3 lbs
406 mm	111 mm	95 m	1.4 kg
Diffuser: mouth blown cased glass			

LEARN MORE





E10485 Mar Vista Sconce

UL listed (or equivalent) for wet locations
Diffuser: clear glass or clear rippled glass

[LEARN MORE](#)

10531	Miamicita Sconce	Height	Width	Projection	Net Wt.
Diffuser: satin white acrylic		18"	5"	3 ³ / ₈ "	6 lbs
		457 mm	127 mm	86 mm	2.7 kg

[LEARN MORE](#)





10467 Newton Pendant

Height	Diameter	Frame Height	Net Wt.
Specify	33½"	35"	60 lbs
	851 mm	889 mm	27.2 kg

Center Diffuser: white cased glass

STANDARD FINISHES

- Black Granite
- Cinnamon Bronze
- Matte White

SPECIALTY FINISHES

- Rubbed Bronze
- Silver Fog

[LEARN MORE](#)



10627 Sunbeam LED In-Wall

The linear, in-wall Sunbeam Sconce features a narrow channel that runs lengthwise down its middle. The inner reflector is available in gold or white gold paint, or white or yellow gold leaf, and the outer frame is available in white primer so it can be painted to match the wall color.

Height	Width
36 ⁵ / ₈ "	3 ¹ / ₄ "
930 mm	83 mm

Outer frame: available in White Primer for painting (standard), or blackened (upcharge)

Horizontal or vertical mounting

This fixture requires recessed mounting.

STANDARD FINISHES

Outer Frame
• White primer

Interior
• Sterling Gold
• Sunbeam Gold

OPTIONAL

Outer Frame
• Blackened

Interior
• 22k Yellow Gold
• 12k White Gold



[LEARN MORE](#)






Archetype Pendant Series


[LEARN MORE](#)



9957 Archetype Pendant (32")



9956 Archetype Pendant (28")



9955 Archetype Pendant (24")



Dark Bronze



Light Bronze



Natural Bronze



Nickel

10352 Aspen Pendant

	Height	Diameter	Frame Height	Net Wt.
Specify	24½"	8"	8"	30 lbs
	622 mm	203 mm	203 mm	13.6 kg

[LEARN MORE](#)



FINISHES

Canopy & Stem Only

- Polished Nickel
- Satin Nickel

Shade

- Textured Bone White or Textured Espresso



10220 Catacaos Ceiling (36 inch)

Height	Diameter	Shade Height	Net Wt.
12 1/2"	36"	10"	27 lbs
318 mm	914 mm	254 mm	12.3 kg

10219 Catacaos Ceiling (30 inch)

Height	Diameter	Shade Height	Net Wt.
10 3/4"	30"	8"	19 lbs
260 mm	762 mm	203 mm	8.6 kg

10218 Catacaos Ceiling (24 inch)

Height	Diameter	Shade Height	Net Wt.
9 3/4"	24"	7"	15 lbs
235 mm	610 mm	178 mm	6.8 kg

10225 Catacaos Pendant (48 inch)

Height	Diameter	Shade Height	Net Wt.
Specify	48"	13"	85 lbs
	1219 mm	330 mm	38.6 kg

10224 Catacaos Pendant (36 inch)


Height	Diameter	Shade Height	Net Wt.
Specify	36"	10"	26 lbs
	914 mm	254 mm	12.7 kg

10217 Catacaos Pendant (30 inch)

Height	Diameter	Shade Height	Net Wt.
Specify	30"	8"	20 lbs
	762 mm	203 mm	9.1 kg

[LEARN MORE](#)

[LEARN MORE](#)





10192 Globe Pendant (35")

	Height	Diameter	Frame Height	Net Wt.
Specify	35½"	31"	18 lbs	
	902 mm	787 mm	8.2 kg	

10191 Globe Pendant (26")

	Height	Diameter	Frame Height	Net Wt.
Specify	26½"	22½"	15 lbs	
	673 mm	572 mm	6.8 kg	

10190 Globe Pendant (20")

	Height	Diameter	Frame Height	Net Wt.
Specify	20½"	16⅜"	12 lbs	
	521 mm	416 mm	5.4 kg	

[LEARN MORE](#)



WORKSPACES

10466 Newton Jr. Pendant

Height	Diameter	Frame Height	Net Wt.
Specify	23½"	21½"	38 lbs
	597 mm	546 mm	17.2 kg

Center Diffuser: white cased glass
Bottom Diffuser: satin white acrylic

- Fluorescent**
- Two, CFTR26W/GX24q or
Two, CFTR32W/GX24q or
Two, CFTR42W/GX24q
 - Universal 120v-277v

Upcharges will apply for Fluorescent dimming. Contact your local Boyd rep with the specification of the dimming control system being used.

Lamps not included with fixture.


- LED**
- 48 total watts
 - Universal 120v-277v
 - ≈ 1,775 Fixture Lumens
 - Lamps included with fixture

Upcharges will apply for LED dimming (0-10v only).

[LEARN MORE](#)








SILVER FOG (SF)



GOSSAMER ALUMINUM (G/A)



RUBBED BRONZE (R/BZ)



GOLDEN GATE ORANGE (G/GO)



BLACK GRANITE (B/GR)



CINNAMON BRONZE (C/BZ)

T-Light Pendant

Overall Height	Frame/Glass Height	Width	Length	Net Wt.
Specify	5½"	6⅞"	84" 72" 60"	55 lbs

Glass: ¾" frosted water white glass

Uplight and downlight wired for use with either one or two circuits

LED

- 64 or 56 watts
- Standard 3000°K/90+ CRI
- Universal 120v-277v
- ≈ 4,150 Fixture Lumens
- Lamps included with fixture
- Fixtures can be dimmed using 0-10V low voltage dimming controls and wiring.

[LEARN MORE](#)





INTERIOR
DESIGN®





Icicle Series

Icicle Drop Sconce and ADA Drop Sconce (shown, right)

[LEARN MORE](#)

Icicle Wand Sconce

[LEARN MORE](#)

Icicle Disk I and II Ceiling Flushmount (shown, left)

[LEARN MORE](#)

Icicle Plane I and II Ceiling Flushmount

[LEARN MORE](#)

Icicle Ellipse I and II Ceiling Flushmount

[LEARN MORE](#)

LED Dimmable

Hanging element: clear or etched crystal-like glass

Cord Options: Charcoal, Dark Olive, Red, Silver, Warm Tan or Black

STANDARD FINISHES

- Antiqued Boyd Brass
- Blackened Brass
- Polished Brass
- Satin Brass

SPECIALTY FINISHES

- Polished Nickel
- Satin Nickel



10540 Icicle Drop Sconce

Height	Width	Projection	Net Wt.
22¼"	5"	5¼"	5 lbs
565 mm	127 mm	133 mm	2.3 kg

[LEARN MORE](#)



10541 Icicle Drop ADA Sconce

Height	Width	Projection	Net Wt.
22¼"	5"	4"	5 lbs
565 mm	127 mm	102 mm	2.3 kg

[LEARN MORE](#)



Cord Options: Charcoal, Dark Olive, Red, Silver, Warm Tan or Black

Hanging element: clear or etched crystal-like glass





Elements LED In-Wall Series

Height	Width	Projection	Net Wt.
3' or 4'	5 ⁵ / ₈	1 ¹ / ₈ "	16 or 21 lbs
	143 mm	3 mm	7.3 or 9.5 kg

Outer Frame: available in White Primer for painting (standard), or Blackened Steel (upcharge)
Horizontal or vertical mounting. This fixture requires recessed mounting
ADA compliant at all mounting heights

DIMMABLE LED

36"
• 40 total watts
• Standard 2700K/90+ CRI

48"
• 56 total watts
• Standard 2700K/90+ CRI

LEARN MORE





Portal LED In-Wall I and II Series

Diameter	Overall Depth	Net Wt.
10 ⁷ / ₈ " 14 ⁷ / ₈ "	3 ⁵ / ₈ " 4"	3 lbs 4 lbs.

UL listed (or equivalent) for damp locations
This fixture requires recessed mounting.
Trim Ring: available in White Primer for painting (standard), or in Blackened Steel (upcharge)
ADA compliant at all mounting heights
Fixture can be dimmed using 0-10v low voltage dimming controls and wiring.

[LEARN MORE](#)

STANDARD FINISHES

- Trim Ring**
- White Primer
- Interior Bowl**
- Matte White
 - Sterling Gold

OPTIONAL

- Trim Ring**
- Blackened Steel
- Interior Bowl**
- 22k Yellow Gold
 - 12k White Gold
 - Aluminum Leaf

- LED**
- 21 or 24 total watts
 - Standard 3000K/90+ CRI
 - Universal 120v-277v
 - ≈ 1,050 oe 1,250 Fixture Lumens
 - Lamps included with fixture



10498 Optic Pendant

Height	Diameter	Frame Height	Net Wt.
Specify	5"	21"	7 lbs

Clear optical glass
Concave lens

- LED**
- 7.5w max
 - Voltage 120v or 277v (non-dimming)
 - ≈ 400 Fixture Lumens
 - Soraa high-efficacy JA-8 compliant lamp included

LED dimmable with electronic low-voltage dimmer switch.

Cord Options:

Charcoal	Warm Tan	Silver	Dark Olive	Red	Black
					

[LEARN MORE](#)



10534 Tonic Sconce

Height	Width	Projection	Net Wt.
18 $\frac{1}{8}$ "	5 $\frac{3}{8}$ "	3 $\frac{1}{8}$ "	8 lbs

ADA compliant at any mounting height
UL listed (or equivalent) for damp locations
Diffuser: bubble-infused clear glass

[LEARN MORE](#)



- LED**
- 6 total watts max
 - Universal 120v-277v
 - $\approx$ 500 Fixture Lumens
 - Lamps included with fixture

The LED lamps standard in this fixture can be dimmed using 0-10V low-voltage dimming controls and wiring.



STANDARD FINISHES

- Antiqued Boyd Brass
- Blackened Brass
- Gloss White
- Satin Brass


SPECIALTY FINISHES

- Satin Nickel



UL listed (or equivalent) for damp locations
Side Panels: white rayon/acetate blend fabric
Bottom Diffuser: satin white acrylic
Top Diffuser: white perforated metal
Height Overall: 30" - 54"; 762 - 1372 mm


[LEARN MORE](#)



10179 Parisian Pendant (36")

Height	Diameter	Frame Height	Net Wt.
Specify	36"	9"	34 lbs
	914 mm	229 mm	15.4 kg

Canopy: 5 1/2" dia x 2 7/8"; 140 x 73 mm



10178 Parisian Pendant (32")

Height	Diameter	Frame Height	Net Wt.
Specify	31 3/4"	6 3/4"	28 lbs
	806 mm	171 mm	12.7 kg

Canopy: 5 1/2" dia x 2 7/8"; 140 x 73 mm

HOSPITALITY

10200 Kyoto Table Lamp

Height	Width	Base	Net Wt.
32"	18"	6½" dia	17 lbs
813 mm	457 mm	165 mm	7.7 kg

Shade: white linen (standard) or jet black linen with matte gold lining (upcharge)

Top Diffuser: frosted pyrex glass

Light Column: white cased glass inset in solid brass

LAMPING

Three-way socket switch controls lamp in the light column and shade.
Illuminate a single lamp or utilize both simultaneously to maximize light output.

Shade: Incandescent

- One, Medium base, A-21, 150w max
- Compatible with LED Screw-in lamps
- Lamp not included with fixture.

Light Column

- Medium base
- LED Screw-in lamp included

STANDARD FINISHES

- Antiqued Boyd Brass
- Blackened Brass
- Satin Brass

SPECIALTY FINISHES

- Satin Nickel

[LEARN MORE](#)



9891 Pacific Heights Table Lamp Grand

Height	Width	Base	Net Wt.
34¾"	15"	6½" dia	7 lbs
883 mm	381 mm	165 mm	3.2 kg

LEARN MORE

9890 Pacific Heights Parlor Table Lamp

Height	Width	Base	Net Wt.
28¾"	12"	4½" dia	6.5 lbs
730 mm	305 mm	114 mm	2.9 kg

LEARN MORE

STANDARD FINISHES

- Gossamer Gold
- Polished Brass

SPECIALTY FINISHES

- Polished Nickel



EXTERIOR



E10411 Regent Sconce

Height	Width	Projection	Net Wt.
42 ⁵ / ₈ "	8 ³ / ₄ "	10 ¹ / ₂ "	22 lbs
1083 mm	222 mm	267 mm	10 kg

UL listed (or equivalent) for wet locations
Fixture has an open framework (sans glass)
Optional interior powder coat
Made with Swarovski® elements. Swarovski® is a registered trademark
Flame Tip: Swarovski® elements crystal or Rock crystal. Color and veining of rock crystal will vary.

- Halogen**
- One, Bi-pin base, MRC-16, 50w max, 12v integral transformer
 - Voltage 120v or 277v (non-dimming)
 - Lamp not included with fixture
- LED**
- 7.5w max
 - ≈ 400 Fixture Lumens
 - Voltage 120v or 277v (non-dimming)
 - Sora high-efficacy JA-8 compliant lamp included
 - LED dimmable with electronic low-voltage dimmer switch

[LEARN MORE](#)







E10445 Marrakesh II Sconce

Height Wt.	Width	Projection	Net
35" 889 mm	12¼" 311 mm	13½" 343 mm	15 lbs 6.8 kg

E10444 Marrakesh I Sconce

Height Wt.	Width	Projection	Net
26" 670 mm	8⅞" 225 mm	11¾" 298 mm	10 lbs 4.5 kg

UL listed (or equivalent) for damp locations
Flame Tip: Rock Crystal (standard), or solid, machined copper (optional)
Fixture has an open framework (sans glass)
Available in specialty powder coats
Height Overall: 36" - 54"; 914 - 1372 mm

LAMPING

- Halogen**
- One, Bi-pin base, MRC-16, 50w max, 12v integral transformer
 - Voltage 120v or 277v (non-dimming)
 - Lamp not included with fixture.

- LED**
- 7.5w max
 - LED Voltage 120v or 277v (non-dimming)
 - ≈ 400 Fixture Lumens
 - Soraa high-efficacy JA-8 compliant lamp included
 - LED dimmable with electronic low-voltage dimmer switch

[LEARN MORE](#)



RESTAURANTS



10548 Icicle Wand Sconce

Height	Width	Projection	Net Wt.
22"	5 ¹ / ₈ "	3 ³ / ₈ "	8 lbs
559 mm	130 mm	86 mm	3.6 kg

LED

- 6w max
- Voltage 120 (non-dimming)
- ≈ 400 Fixture Lumens
- Universal 120v - 277v
- Lamps included with fixture

The LED lamps standard in this fixture can be dimmed using 0-10V low-voltage dimming controls and wiring.

Illuminated element: clear or etched crystal-like glass

STANDARD FINISHES


- Antiqued Boyd Brass
- Blackened Brass
- Gossamer Gold
- Satin Brass

SPECIALTY FINISHES

- Satin Nickel

LEARN MORE










10113 Library Double Sconce

Height	Width	Projection	Net Wt.
11 ³ / ₈ "	16"	9 ⁷ / ₈ "	11 lbs
289 mm	406 mm	251 mm	5 kg

Optional: mirror mount modification available
Shade: white rayon/acetate blend
Leather Arms: Alcott Tan, Emerson Brown, or Poe Black. Leather is subject to dye lot variations.

[LEARN MORE](#)





10498 Optic Pendant

Diameter	Frame Height	Net Wt.
5"	21"	7 lbs
127 mm	533 mm	3.2 kg

Height Overall: 30" - 54"; 762 - 1372 mm

Clear optical glass

Concave lens

Cord Options: Charcoal, Dark Olive, Red, Silver, Warm Tan or Black

- LED**
- 7.5w max
 - Voltage 120v or 277v (non-dimming)
 - $\approx$ 400 Fixture Lumens
 - Soraa high-efficacy JA-8 compliant lamp included

LED dimmable with electronic low-voltage dimmer switch.

LEARN MORE



Custom Tube Pendants designed in partnership with Aidlin Darling Design of San Francisco, CA for In Situ, located inside the San Francisco Museum of Modern Art (SFMOMA).

Blackened steel tube, 22k yellow gold leaf interior, LED lamping

AWARDS

06.2018

'Interior Design, Restaurant' award at the inaugural San Francisco Design Week Awards

05.2018

2018 James Beard Foundation Award for Outstanding Restaurant Design (76+ seats)

10.2017

Awarded Michelin One Star

08.2017

Finalist in the Restaurant category of the inaugural Surface Magazine Travel Awards

03.2017


(1) American Architecture Award from the Chicago Athenaeum and European Centre for Architecture Art Design and Urban Studies. (2) 2017 Merit Award in the Play category from the International Interior Design Association

01.2017

2017 National AIA Institute Honor Award for Interior Architecture

12.2016

(1) 2016 Best of Year award in the Casual Dining category by Interior Design Magazine. (2) 2016 Architect's Newspaper Design Awards in the Interior, Retail/Hospitality category



10423 Venice Pendant (36")			
Height	Diameter	Shade Height	Net Wt.
Specify	36" 914 mm	9" 229 mm	13 lbs 5.9 kg

10422 Venice Pendant (30")			
Height	Diameter	Shade Height	Net Wt.
Specify	30" 762 mm	8" 203 mm	12 lbs 5.4 kg

[LEARN MORE](#)



10686 Totem Sconce Trapezoid

Height	Width	Projection	Net Wt.
16"	9"	4"	6 lbs
406 mm	229 mm	102 mm	2.7 kg

Backplate: 5½" D; 127 mm
Cast Form: 4½" H x 9" W;
114 mm x 229 mm
Center of outlet box to top of fixture:
13½"; 345 mm
UL listed (or equivalent) for damp
locations
Can be mounted with stem pointing up
or pointing down
If ordered as a pair, one fixture will be a
mirror image of the one shown

- LED**
- 3000°K / 90+ CRI
 - 120v (non-dimming); 277v available on
dimnable sconce
 - 2 watts max
 - ~175 fixture lumens
 - Lamp included with fixture

Partially recessed driver requires a deep
3½" octagonal j-box, or the driver must
be mounted remotely

Upcharges will apply for LED remote
dimming dependant on your dimming
system. Contact your local Boyd Rep.

STANDARD FINISHES

- Fixture**
- Cloud
 - Coal

- Inside Cast Forms**
- Cloud (only available when Fixture is
finished in Cloud)

OPTIONAL

- Inside Cast Forms**
- 12k White Gold Leaf
 - 22k Yellow Gold Leaf

- Lamping**
- LED Dimming

[LEARN MORE](#)



SPAS



K0061 Cascade Luminaire Divide (24")

Width	Length	Net Wt.
4½"	24"	29 - 37 lbs
114 mm	610 mm	13.2 - 16.8 kg

Height Overall: 26"; 660 mm
38"; 965 mm
50"; 1270 mm
72"; 1829 mm
96"; 2438 mm
120"; 3048 mm

Crystal strands in variable lengths

Beads: ¾" dia; 10 mm

Spheres: 1½" dia; 40 mm

UL listed (or equivalent) for damp locations

Engraved plate with yearly edition

Polished aluminum plates pre-trimmed with crystal strands, rectangular satin aluminum ceiling plate with satin nickel mesh on all sides

[LEARN MORE](#)

STANDARD FINISHES

40 mm Sphere Type

100% coverage

- Clear Crystal
- Rock Crystal
- Smoky Rock Crystal
- Amethyst
- Pale Blue
- Pale Pink
- Gloss Black

30% coverage

- Rock Crystal
- Smoky Rock Crystal
- Amethyst
- Pale Blue
- Pale Pink
- Gloss Black

K0162 Astoria ADA Wall Bracket

Height	Width	Projection	Net Wt.
17¾"	9"	4"	8 lbs
451 mm	229 mm	102 mm	3.6 kg

Polished aluminum plates pre-trimmed with fine crystal pendalogues and prisms on traditional chain with oval, round and faceted beads

Pendalogues and prisms come in a mixture of traditional shapes. All are made from hand-blown, hand-cut and hand-polished crystal.

[LEARN MORE](#)





K0169 Astoria Grand Luminaire

Height	Width	Length	Net Wt.
12"	18"	31"	67 lbs
305 mm	457 mm	787 mm	30.4 kg



Polished aluminum plates pre-trimmed with fine crystal pendalogues and prisms on traditional chain with oval, round and faceted beads. Pendalogues and prisms come in a mixture of traditional shapes. All are made from hand-blown, hand-cut and hand-polished crystal.

[LEARN MORE](#)



UNIVERSITIES



Globe Pendant			
Height	Diameter	Frame Height	Net Wt.
Specify	35½"	31"	18 lbs
	902 mm	787 mm	8.2 kg
Specify	26½"	22½"	15 lbs
	673 mm	572 mm	6.8 kg
Specify	20½"	16¾"	12 lbs
	521 mm	416 mm	5.4 kg

[LEARN MORE](#)





10070 Mercury I Chandelier, 8-Arm

Height	Overall Diameter	Ring Diameter	Net Wt.
24" - 48"	30½"	24"	30 lbs
610 - 1219 mm	775 mm	610 mm	13.6 kg

Shades: sand etched Pyrex

STANDARD FINISHES

- Antiqued Boyd Brass
- Blackened Brass
- Satin Brass

SPECIALTY FINISHES

- Satin Nickel

[LEARN MORE](#)



10179 Parisian Pendant (36")			
Height	Diameter	Frame Height	Net Wt.
Specify	36"	9"	34 lbs
	914 mm	229 mm	15.4 kg

Canopy: 5½" dia x 27/8"; 140 x 73 mm
UL listed (or equivalent) for damp locations
Side Panels: white rayon/acetate blend fabric
Bottom Diffuser: satin white acrylic
Top Diffuser: white perforated metal
Height Overall: 30" - 54"; 762 - 1372 mm

[LEARN MORE](#)

